

Proudly Canadian Since 1973



Atlantic Electronics Limited



Fall 2026/ Winter 2027

www.ael.ca
1-888-235-3628

*Prices may fluctuate without prior notice due to tariff or supplier adjustments

DID YOU KNOW THAT AEL OFFERS CREDIT?*

That's right! Standard 30+Day interest free.
Then only 2% on remaining balances, O.A.C.

*With approved credit application. Inquire at your local branch.

Building a New Boat?

Get up to 6-Months No Payments, No Interest
O.A.C.

AEL is committed to keeping you on the water



Economical Satellite Tracking and Communications for the
Marine Industry, ready for ANY DFO changes.

SASCO VMS Monitoring \$1995 COMPLETE KIT*

DFO Approved now and for
future changes

*install extra

FEATURES


- Approved by DFO for VMS in all Fishing Areas in Canada
- BB3 meets and exceeds current and proposed specifications
- Reliable Sytem
- 24/7 Vessel Tracking
- Made in USA

INCLUDED

- SASCO BB3 VMS
- Iridium
- Iridium Antenna
- GPS Antenna



DON'T GET CAUGHT WITHOUT IT!
Certified DFO



AEL provides full airtime options. Call Taylor or Kelly (French) at 1-888-235-3628



HONDEX ELECTRONICS has brought innovations to the world by introducing ultrasonic technologies since the release of the world-first transistor fishfinder in 1956. With originality in mind, HONDEX ELECTRONICS also respects technologies in various fields and participates in many collaborative projects.

HONDEX HDX-121/BB *Best Seller* \$3915/2610

*Bundle of options available

Choose an
Integrated Screen
or Black Box



Multiple Power
Options 600 W
1 kW, 1.8 kW



FEATURES

- 12.1 in or Black Box Versions
- Multiple Power Options
- Mark to OLEX or TimeZero
- Bottom Hardness
- Legendary Quality
- Integrated GPS (non BB)
- Remote Controls
- 40 Hours Bottom Mapping
- Split Screen Mode
- Easy to mount
- Easy to Use

Specifications

- | | | | |
|----------------|---------------|------------------------|---------------------|
| • Chart | C-MAP SD | • Frequency | 50 & 200 khz |
| • Wake Memory | Card | • Output Power | 600 W, 1 kW, 1.8 kW |
| • Mark Memory | 64,000 Points | • Depth Range | 0-5000 ft |
| • Wake Colour | 48,000 Points | • Wake Colour | 1,000 Points |
| • Route Memory | 1,000 Points | • Colour Configuration | 5 Patterns |

Optional Extras

- Remote: CR04
- GPS: GP-16H, GP-17H, CP-17HD
- Water Temp: TC02CS, TCK01
- Water Temp: TC03-5/10 (Transom)

"Di" series utilizing HONDEX's latest digital technology.



Introducing new technology of direct digital conversion. The optimized filtering even for weak signal is now available. "Deeper detection for deep water" and "Higher resolution image for shallow water" are in your hands.

"Di" Features:


- Dual display for same frequency:** Different gain settings are possible for single frequency image by splitting the image of single frequency to two different screens.
- Whole Display Gain Adjustment:** Gain adjustment reflects to whole the past image (all display presentation).



HONDEX HE-881

\$1645


Legendary Performance and Reliability



8.4" Clear Display Model

"Multi-Display Split"
for your Preference

50/200kHz Dual Frequency



FEATURES

- 8.4 in Colour Display
- 600 W ONLY
- 50&200 kHz Frequency
- Portrait and Landscape Modes
- Bottom Hardness
- Split Screen Mode
- Easy to Mount
- Easy to Use
- Legendary Quality

HONDEX HE-775-DI

Best Seller

\$2350

All the Power and Flexibility you need in a Sounder

FEATURES

- 10.4 in Colour Display
- 1 kW, 2 kW and 3 kW Versions
- 50&200 kHz Frequency
- Portrait and Landscape Modes
- Split Screen Mode
- Easy to Mount
- Easy to Use
- Legendary Quality

Accessories

- Thru-hull Water Temp Sensor: TC02CS (8P-15m) + TCK01
- Transom Water Temp Sensor: TC03-05 (8P-5m)
- Transom Water Temp Sensor: TC03-10 (8P-10m)



"Di" series utilizing HONDEX's latest digital technology.



Introducing new technology of direct digital conversion. The optimized filtering even for weak signal is now available. "Deeper detection for deep water" and "Higher resolution image for shallow water" are in your hands.

"Di" Features:

- Dual display for same frequency:** Different gain settings are possible for single frequency image by splitting the image of single frequency to two different screens.
- Whole Display Gain Adjustment:** Gain adjustment reflects to whole the past image (all display presentation).



HONDEX HE-7731II-WB Available in Black Box version Sonar with Auto Hoist \$7050

The Evolution of Commercial Fishing
 Ultra-Compact, Cost-Effective Sonar
 at an Attainable Price

FEATURES

Display :	10.4 in Colour TFT LCD
Number of Pixels :	640 x 480
Operating Voltage :	11-35 VDC
Power Consumption :	27 W
Display Mode :	Sonar Mode, Bottom Sonar Mode, Sounder Mode
Transducer (Hull Unit) :	Manual or Auto
Output Power :	1 kW
Frequency :	290 khz
Operating Range :	0 ~ 300 m
Sonar Mode Tilt-Range :	0 ~ 90 Deg (1 Deg step)
Bottom Sonar Beam Angle :	30/60/90/120 Deg



Di HONDEX
 DIGITAL
 TECHNOLOGY

HONDEX HE-7300-WB

\$2875



Next Evolution of Commercial Fishing
 High-Standard Echo Sounder
 Optimized Image Presentation for Different Water Depth

FEATURES

- 10.4 in Colour Display
- 28 khz to 200khz Frequency Range
- 1 kW Output Power
- Variable Frequency Tuning for clearer picture
- Portrait and Landscape modes
- Split Screen Mode
- Easy to mount
- Easy to Use
- Legendary Quality

ISO 14001



ISO 9001




Di HONDEX
 DIGITAL
 TECHNOLOGY

Accessories

- Thru-hull Water Temp Sensor: TC02CS (8P-15m) + TCK01
- Transom Water Temp Sensor: TC03-05 (8P-5m)
- Transom water Temp Sensor: TC03-10 (8P-10m)




HONDEX HE-2910 CHIRP
\$4450 (BB \$4050)
New Standard for Commercial Fishing

12.1" Chirp Echo Sounder

**Also available in a
Black Box version**
FEATURES

- CHIRP Technology: Sweeps across a wide range of frequencies to provide exceptional clarity and target separation.
- Frequency Ranges: Supports Low-CHIRP (38–70 kHz) and High-CHIRP (130–220 kHz) using compatible wideband transducers, with power output ranging from 1 to 5 kW.
- Heave Compensation: Helps stabilize bottom tracking and echogram displays in rough sea conditions.
- Rewind History: Software features include up to 5 minutes of scrollback rewind history so you can review missed echoes.
- Shortcut Keys: Long-press to store up to three custom settings and short-press to recall them instantly for different fishing zones.
- Outputs: Equipped with DVI/HDMI output formats to connect with external marine monitors and displays.
- 12.1" Display
- Wideband frequency (only for low B transceivers)
- 3 Custom user settings






Hondex HE-1270

\$7200

Ideal Commercial Fishing Tool



Instant Fish School Detection : Quick & Effortless - Omnidirection
Hassle-Free Sensor Installation Compared to Traditional Sonar System
12.1" QUICK SCAN 360° All Directions Sounder


Next Evolution of Commercial Fishing

High-Standard Echo Sounder

Optimized Image Presentation for Different Water Depth

FEATURES

- QUICK SCAN can scan all directions at once. All images are updated in real time, making it easy to follow the fish school at high speed. In-house developed transducer. Thru-Hull installation is highly recommended.
- 12.1" Color LCD
- Frequency; 140 / 160 / 180 / 200 kHz
- Display Range=0 - 300m/0-984ft
- Display Orientation-Landscape
- Output power=Aprox 2kw





HONDEX TRANSDUCERS & ACCESSORIES

TD-26
\$260
FEATURES

Frequency Range: 50 & 200 khz
 Mount: Thru-Hull
 Cable Length: 8 Meters
 Connector: Small 3 Pin
 Power Output: 600 W
 Material: Bronze
 Limited Warranty: 1 Year


TD-340T
\$2050
FEATURES

Frequency Range: 30-70 khz, 130-220 khz
 Mount: Thru-Hull
 Cable Length: 8 Meters
 Connector: 5 Pin
 Power Output: 1 kW
 Material: Bronze
 Limited Warranty: 1 Year


TD-47T
\$1225
FEATURES

Frequency Range: 50 & 200 khz
 Mount: Thru-Hull
 Cable Length: 12 Meters
 Connector: 5 Pin
 Power Output: 1 kW
 Material: Bronze
 Limited Warranty: 1 Year


TD-67T
\$1515
FEATURES

Frequency Range: 50 & 200 khz
 Mount: Thru-Hull
 Cable Length: 12 Meters
 Connector: 5 Pin
 Power Output: 1.8 kW & 1 kW
 Material: Bronze
 Limited Warranty: 1 Year


TEMP SENSOR \$260
FEATURES

Mount: Thru-Hull
 (Includes Gland)
 Cable Length: 15 Meters
 Connector: Small 3 Pin
 Power Output: N/A
 Material: Bronze
 Limited Warranty: 1 Year



TC02CS

REMOTE \$250
\$250
FEATURES

Frequency Range: N/A
 Cable Length: 2 Meters
 Connector: 4 Pin
 Power Output: N/A
 Material: Plastic
 Limited Warranty: 1 Year



CR04




DRS6ANXT *Open Scan* Starting at \$10,400

The Furuno NXT Radar is the next step in Radar evolution

The Furuno NXT Radar is the next step in Radar evolution; a Solid-State Radar with pulse compression, Target Analyzer™ and Fast Target Tracking™ utilizing Doppler technology. Combined with FURUNO exclusive RezBoost™ technology for beam sharpening, NXT packs the performance of a larger Radar in a more compact package.

FEATURES

- 3.5', 4' or 6ft open array
 - FURUNO RezBoost™ Technology for beam sharpening
 - Target Analyzer™
 - Fast Target Tracking™
 - Radar Overlay with TImeZero
 - Integration with TimeZero
- Compatible with TZtouch/TZ-touch2/TZtouch3




SCX20/21

\$2700

Utilizing four separate GNSS Antennas for the ultimate in responsiveness, the SCX20 and SCX21 set a new standard for reliable and accurate heading for all of your marine electronics. Traditionally, a Satellite Compass™ calculates heading using one baseline between two antennas; the SCX20/21's four antennas can calculate heading information using any one of the six baselines drawn between the four antennas.



NMEA2000 OR NMEA0183




The unprecedented quad-antenna design of the SCX20 and SCX21 makes them capable of calculating extremely accurate heading, pitch, roll, and heave information. They are the perfect heading solution for complex vessel installations where the view of satellites may sometimes be obstructed.

DFF1-UHD+

Best Seller

\$2200





Next Generation Fishing and Navigation Solution for NavNet TZtouchXL

The DFF1UHD+ is a powerful multi-channel network Fish Finder designed for seamless integration with NavNet TZtouchXL. Ideal for helms featuring the TZT22X, TZT24X or Black Box TZTBBX, it combines up to 1 kW of CW and CHIRP Fish Finder power with 230 kHz or 455 kHz CHIRP Side-Scan in one compact unit.

FEATURES

- 300/600 W or 1 kW transducer compatibility*
- CW and TruEcho CHIRP™ Fish Finder
- 230 kHz or 455 kHz CHIRP Side-Scan
- Display range from 6 to 4,000 ft.
- ACCU-FISH™ & A-Scope
- Manual and Auto Gain
- Bottom Discrimination*
- 8-step picture advance
- Fish School and Bottom Lock alarms
- Compact design with colour-coded waterproof connectors

*Compatible transducer/matching box may be required for certain functions.



FCV800


\$2650



Versatile Fish Finder for any vessel

FEATURES

- Colour Range expansion
- Wireless connection to TZ iboats
- Dual transducer ports
- Bottom discrimination
- 8.4 inch display



NAVPILOT 711C/OB

\$6715



Navpilots offer self-learning and adaptive software.

Features:

- Easy installation and smart network configuration
- "Economy" and "Precision" navigation modes provide fuel savings
- Perfect for inboard fishing vessels
- NMEA and Bluetooth®
- Bright and clear display

**PAIRED WITH
SCX21 SAT COMPASS**

GP39 GPS Navigator

\$899



Accurate and reliable navigation in a compact 4.2" colour display. The GP39 combines a 12-channel GPS receiver with integrated SBAS technology and offers multiple graphical and numerical navigation displays.

FEATURES

- 4.2" colour LCD
- Integrated GPS with SBAS (WAAS/EGNOS/MSAS)
- Stores up to 3,000 track points
- 10,000 waypoints
- 100 routes with up to 30 waypoints each
- Plotter, Highway, Steering, NAV Data and Satellite Monitor displays
- Two customizable display modes
- USB import/export capability

FI70 Instrument Display

\$885



The FI70 features a vibrant 4.1" bonded colour LCD with excellent daylight visibility and fog-free performance. Its customizable interface allows users to display the vessel information they want in a clear, easy-to-read format.

FEATURES

- 4.1" bonded colour LCD
- Bright daylight visibility
- Fog-free display
- NMEA 2000 connectivity
- Powered directly through the NMEA 2000 network
- Customizable display layouts
- Simple graphical user interface
- Compatible with a wide range of external sensors

DRS4DNXT




Best Seller

\$4795

The **NXT** step with Doppler Radar technology!

FEATURES

- 4 kW 19 inch Radome
- Doppler Radar Technology
- FURUNO RezBoost™ Technology for beam sharpening
- Target Analyzer™
- Fast Target Tracking™
- Radar Overlay with TimeZero
- Integration with TimeZero
- Compatible with TZtouch/ TZtouch2/TZtouch3



FR10 RADAR DISPLAY

\$3800

Radar Options For Any Vessel

The FR10 Radar features a 10.4" Colour LCD and key panels for simple operation. The display is designed for use with the Furuno DRS X-Class or NXT Radar series, offering unmatched performance and an expanded selection of arrays, from compact domes to large open arrays in both solid-state and magnetron configurations.

Expanded I/O capability includes 1 LAN port for connection with the DRS Radar Sensor of your choice, 3 NMEA0183 ports, 1 NMEA2000 port, 1 USB port for connection of a mouse or USB flash drive, and a HDMI port for output to an external monitor.

Features

- Risk Visualizer
- Echo Averaging
- Target Analyzer
- Fast Target Tracking
- X-Class Radar Sensor

NXT



Target Analyzer™
utilizing Doppler Technology

1815

\$5125

Raising the Bar in Quality and Performance!

The automatic gain reduction on the 1815 makes use of algorithms that have been refined over many decades of Furuno experience and innovation. This means the 1815 is second to none in clutter rejection. With no input from the user, this Radar will automatically eliminate unnecessary echoes and present a clear display image with every sweep of its antenna.




Furuno's Fast Target Tracking (TT) function allows the user to manually or automatically track up to 10 targets.

Furuno's True View mode to make reading the display more intuitive. For example, when your vessel is turning, the echoes stay consistent on the display, so you can constantly see the targets on the screen, without waiting for them to update after the turn.



FEATURES

- 4 kW 19 inch Radome
- Connect up to 3 Stations with a single dome
- 4 kW 19 Inch Radome
- 1/8 to 36 Nautical Mile Range
- Short Range Target Discrimination
- 100 AIS targets
- 10 Tracking target
- Enhanced Auto Tuning
- 8.4 inch colour screen



Use Up To 3 Stations With One Dome

This configuration provides a cost saving and dynamic setup for situations requiring the ability to monitor the Radar from different locations on the ship.

Versatility

Overhead mounts are available for added flexibility or you can flush mount it with a simple 5" hole saw.



Spartan Twin Air Heater

\$5380

As one of the most powerful models, the Wallas® Spartan Twin offers the most advanced features in the marine heater market.



FEATURES

- Two inlets/outlets to improve airflow
- 12v, 10w power draw
- Burns diesel, kerosene, and biodiesel
- Bluetooth® connectivity
- Low emissions
- Intelligent temperature control

AEL ROV

Call for details

Need to See Under Your Boat? We can Help with that!

AEL now offers a Remotely Operated Vehicle (ROV) to help you inspect the underwater portion of your boat without the need for drydocking. Our trained technician can come to your location and provide you with a comprehensive video inspection of the bottom of your vessel, saving you time and money



- Bumped the bottom?
Determine the extent of the damage.
- Suspect ropes or nets caught in your prop? Get quick confirmation.
- Inspect anodes or other surface sensors without the high cost of drydocking.

Tron 60GPS EPIRB with Float-Free Bracket \$1010

The Tron 60GPS GMDSS EPIRB is a compact, Category 1 emergency beacon designed for reliable distress alerting and accurate positioning. Its float-free bracket allows automatic deployment in an emergency, while the integrated GPS provides precise location information to support faster search and rescue response.



A high-intensity LED mounted at the top of the antenna improves visibility, and the fully sealed, compact design provides dependable performance in demanding marine environments.

FEATURES

- Category 1 EPIRB with float-free bracket
- Integrated GPS for accurate positioning
- MEOSAR compatible
- Antenna-mounted high-intensity LED for increased visibility
- Compact, fully sealed design
- 10-year battery life
- 5-year warranty

SIMRAD®
Best Seller

A2004

CONTACT US

Autopilots are developed to provide commercial vessels, large yachts and megayachts with the highest standards of reliability and functionality needed in a professional environment.



FEATURES

- Interface designed for commercial marine applications
- Large, heavy-duty rotary control dial for precision steering
- Continuum steering technology
- Optically bonded 4.1-inch colour display with 170-degree viewing angle
- Thruster integration & heavy-duty rudder feedback support
- Configurable work mode and low/high speed modes
- Automated turn patterns for fuel-efficient, hands-free manoeuvres
- No Drift steering holds course against wind and tide
- Flush or bracket mounting options
- Certified NMEA 2000® connectivity

SIMRAD CRUISE

Available in 5, 7 and 9 inch versions, Simrad Cruise can be dash mounted or bracket mounted to fit any boat's helm station. Take your charts to the next level with a wide selection from C-MAP® and Navionics® for increased levels of detail and C-MAP® Easy Routing. The display is ideal for installation in open air vessels such as bay, deck, ski and wakeboard boats, bow riders and tenders.

The new Simrad Cruise is the most intuitive chartplotter available. Taking ease of use to a new level, Simrad Cruise is a chartplotter first and depth finder second – offering reliable GPS navigation at an affordable price. Free from complicated fishing-specific sonar and networking features, with Simrad Cruise you won't need to master complex electronics – simply turn on your display and go.

CONTACT US



NSS EVO3S

CONTACT US





Centralized access to charting, sonar, radar, and other on-board systems. SolarMAX™

HD display technology delivers clear visibility and ultra-wide viewing angles, while an all-weather touchscreen and full featured keypad provide total control in all conditions.

FEATURES

- Reliable control in all conditions: switch seamlessly between multi-touch and a full keypad with rotary dial
- Integrated echosounder featuring dual-channel CHIRP, ForwardScan® sonar, and StructureScan® HD imaging
- Works with StructureScan® 3D imaging, the S5100 Sounder, and other Simrad sonar modules
- Compatible with Halo™ Pulse Compression radar, Broadband 3G™/4G™ radar, and HD Digital radar systems
- Integrate with Simrad autopilot systems, instruments, AIS, VHF, and other accessories
- Industry-standard NMEA 2000® connectivity to third-party engines and accessories
- Embedded high-gain 10 Hz GPS/GLONASS receiver
- Supports flush or bracket-mount integration



GO XSE

CONTACT US

Take control of your on-board electronics with the GO XSE



Available in 5, 7, 9, and 12 inch screens

FEATURES

- Easy to use multi-touch interface
- Full-featured chartplotter with widest available cartography support (Insight, Navionics, CMAP)
- Radar display for Simrad Broadband 3G™/4G™ and Halo™ Pulse Compression radar systems
- Includes worldwide basemap
- Plan smarter with TripIntel™ technology
- 9-inch flush or bracket mount display
- Widescreen with bright LED backlight
- High-speed 10 Hz GPS receiver
- Built-in Broadband Sounder™, CHIRP sonar, StructureScan® HD imaging or ForwardScan™ sonar support (transducer required)
- Built-in GoFree™ Wi-Fi
- Dual microSD card slots
- Compatible with the Simrad WM-3 SiriusXM satellite weather module (North America only)
- NMEA 2000® compatible

R3016

CONTACT US

R3016 was engineered to meet the need for a dedicated Radar Control Unit to serve in non-SOLAS applications aboard commercial vessels, bringing a professional-grade radar interface to the unapproved radar category



FEATURES

- 16-inch widescreen display
- Simple, low-impact installation with integrated display, controls and processor
- Compatible with multiple Simrad radar solutions to suit a diverse range of applications
- Widescreen display maximizes screen space available for alarms, indicators and target tracking information
- Easy to learn and operate for reduced training time and cost
- Large and responsive buttons provide reliable control in all conditions, and with wet or gloved hands
- Ideal for dual-helm vessels, a fully functional 'clone' station can be created with just an HDMI-connected display and Simrad O2000 Controller


Model 476 \$2010

Get the message through when all others fail!

FEATURES

Band: VHF
 Size: 18.5 ft
 Gain: 10 dB
 Max Input Power: 350 W
 SWR: 1.5:1
 Ferrule: Aluminum Sleeve
 Coax: N/A
 Connector: PL-259
 Colour/finish: White
 Polarity: Vertical
 Impedance: 50 Ohms
 Shakespeare
 Limited Warranty: 2 Years

Model 4018M \$1025

Long-distance VHF antenna is rigid enough to stay erect in rough seas.

FEATURES

Band: VHF
 Size: 19 ft
 Gain: 9 dB
 Max Input Power: 50 W
 SWR: 1.5:1
 Ferrule: Chrome-plated brass
 Coax: 20 ft RG58
 Connector: PL-259
 Colour/finish: White
 Polarity: Vertical
 Impedance: 50 Ohms
 Shakespeare
 Limited Warranty: 2 Years

Model 5230 \$715

The most effective 8dB antenna system available anywhere.

FEATURES

Band: VHF
 Size: 14 ft
 Gain: 8 dB
 Max Input Power: 200 W
 SWR: 1.5:1
 Ferrule: Stainless Steel
 Coax: 20 ft RG-8/X
 Connector: PL-259
 Colour/finish: Galaxy White
 Polarity: Vertical
 Impedance: 50 Ohms
 Shakespeare
 Limited Warranty: 5 Years

Model 5225XT \$285

Shakespeare's best – maximizes range and quality in a great looking antenna.

FEATURES

Band: VHF
 Size: 8 ft
 Gain: 6dB
 Max Input Power: 100 W
 SWR: 1.5:1
 Ferrule: Stainless Steel
 Coax: 20 ft RG-8/X
 Connector: PL-259
 Colour/finish: Galaxy White
 Polarity: Vertical
 Impedance: 50 Ohms
 Shakespeare
 Limited Warranty: 5 Years

Model 4351 \$125

When you need a large antenna, but don't have room for one.

FEATURES

Band: AM-FM
 Size: 3 ft
 Gain: N/A
 Max Input Power: N/A
 SWR: N/A
 Ferrule: Nylon
 Coax: N/A
 Connector: N/A
 Colour/finish: White
 Polarity: Vertical
 Impedance: 93 Ohms
 Shakespeare
 Limited Warranty: 2 Years

Model 5225XT-AIS \$270

Get the message through when all others fail!

FEATURES

Band: AIS
 Size: 8 ft
 Gain: 6dB
 Max Input Power: 100 W
 SWR: 1.5:1
 Ferrule: Stainless Steel
 Coax: 20 ft RG-8/X
 Connector: PL-259
 Colour/finish: Galaxy White
 Polarity: Vertical
 Impedance: 50 Ohms
 Shakespeare
 Limited Warranty: 5 Years

Model 5101 \$115

A new standard of excellence in an economical antenna!

FEATURES

Band: VHF
 Size: 8 ft
 Gain: 6 dB
 Max Input Power: 50 W
 SWR: 1.5:1
 Ferrule: Chrome-plated brass
 Coax: 15 ft RG58
 Connector: PL-259 (not installed)
 Colour/finish: White
 Polarity: Vertical
 Impedance: 50 Ohms
 Shakespeare
 Limited Warranty: 2 Years

Model 5120 \$120

Get the message through when all others fail!

FEATURES

Band: AM/FM
 Size: 8 ft
 Gain: N/A
 Max Input Power: N/A
 SWR: N/A
 Ferrule: Chrome Plated
 Coax: 15 ft RG62
 Connector:
 Colour/finish: White
 Polarity: Vertical
 Impedance: 93 Ohms
 Shakespeare
 Limited Warranty: 2 Years



Atlantic Electronics Limited
 Serving the Marine Industry Since 1973

**Like and follow us
 on Facebook to see
 our clearance items**

Commercial mariners and boating enthusiasts alike covet Icom marine radios for their legendary durability and ease of use. Icom's marine equipment includes: long range, ship-to-shore, single side-band (SSB) transceivers for worldwide communications and the best in shorter range VHF marine communications.

M330/M330G


\$360/375



Top Performance Ultra Compact VHF

FEATURES

- Ultra Compact Body
- Built-in Class D DSC with a CH70 Dedicated Receiver
- GPS Receiver Built-in with Supplied GPS Antenna (IC-M330G)
- Easy-to-Read Full Dot-Matrix Display
- IPX7 Submersible Construction
- AquaQuake™ Draining Function
- Made in Japan Quality and Reliability



M424G

\$595

FEATURES

- Built-in GPS Receiver Simplifies Installation
- Active Noise Cancelling for Maximum Clarity
- User Interface & White Backlit LCD & Keypad
- 10W Loud Audio, Public Address and Foghorn
- Optional COMMANDMIC™ HM-195GB/GW for 2nd Station/Intercom
- Built-in Class D DSC
- IPX7 Submersible Protection
- Common NMEA Interface for GPS/NAV Connection
- MarineCommander™ and MA-500TR Compatible
- AquaQuake™ Function



Active Noise Cancelling Technology and Built-in GPS for Simple Installation

M510 EVO

Best Seller \$925/1395



Fixed Mount VHF and AIS Receiver C with NMEA 2000™ Connectivity

FEATURES

- Radio controls & intercom via smart device
- Integrated AIS Receiver
- Simplified navigation function
- Voice Scrambler option
- Active Noise Canceling
- NMEA 0183/2000 Connectivity
- Auto Foghorn Option.
- AquaQuake degradation prevention
- Loud 25W Two-Way Hailer Built-in



M605


\$1475



The best just got better!

FEATURES

- Received the NMEA Best VHF Radio Product Award for 2017 & 2018.
- ITU Class D DSC
- Last Call Voice Recording
- IPX8 Submersible Plus™
- Active Noise Cancelling
- 30 W Two-Way Hailer and Automatic Foghorn
- Integrated GNSS receiver
- Up to Three COMMAND HEAD/COMMANDMIC™
- Wide Viewing Angle 4.3-inch Color TFT LCD
- Integrated AIS* Receiver
- Optional voice scrambler, UT-112 for private conversation
- NMEA 2000™, NMEA 0183/-HS Connectivity



TARGET LIST (136)			
MMSI/Name	RNG	BRG	
DAIEMARU NO.3	3.3	154	
GYOKO MARU	3.4	147	
MIRAIE	3.4	249	
TOKUYO MARU NO21	3.9	259	
	Display	Info	DSC

MA510TR


\$1350



Fully Capable Class B AIS Transponder for Fishing Boats

FEATURES

- Class B AIS Transponder
- 4.3" Colour Display
- Individual DSC Call*
- 100 Waypoints Memory
- Safety-Related Message
- 3-line NMEA Input/Output
- GPS Receiver Comes with MA-510TR
- CPA and TCPA for Collision-Risk Management
- Full dot-matrix display with adjustable backlight and contrast
- IPX7 waterproof protection
- Self diagnosis function
- Flush mount installation with optional MB-75
- Slow warning function



Icom MR-1010RII

\$3895

36 NM Radar with 4 kW Radome Scanner



FEATURES

- 36 NM range
- 4 kW output radome scanner
- Simplified ARPA target tracking*
- Automatically tracks up to 5 targets
- Manually tracks up to 10 targets
- CPA and TCPA collision alerts
- Two programmable alarm zones
- Waypoint indication*
- Wide-viewing-angle colour TFT LCD
- 16-step echo gradient
- Day, night and customizable screen settings
- 10.2–42 V wide DC input
- Designed, engineered and made in Japan



M25

\$230

Floating Marine VHF Radio



FEATURES

- 5W Output Power
- 1500mAh Li-ion Battery
- Micro USB Charge Port
- LCD Auto Backlighting
- IPX7 Submersible Protection
- Lightweight 7.8 oz
- AquaQuake™ Removes Water From Speaker
- Weather Channel with Weather Alert



T-941

Best Seller

\$4850

SI-TEX's exclusive HyperDigital Processing (HDP) and Dual-Range Display

FEATURES

- 4 kW 36 mile range
- 25 in Radome
- Split-screen display of long-and-short range targets simultaneously
- True-color targets based on strength
- Clearly ID moving targets with True Trail
- Warning Zone, Head Up/North Up/Course Up/True Motion Display
- Standard AIS Interface module capable of tracking 100 targets*
- Optional Automatic Tracking Aid (ATA) and AIS interface**
- Overall Dimensions (w/o bracket): 9.45 in (W) X 10.35 in (H) X 5.21 in




T-760

\$3385

Big time features, plenty of power and innovative touchscreen control in a compact, affordable radar system. Packed with many advanced functions and features found on SI-TEX's professional marine radars.

FEATURES

- 4 kW transmitters for accurate target
- Multi-speed 16/27/36/48 rpm antenna rotation
- Standard 50-target AIS tracking capability**
- Standard 10-target MARPA capability*
- 11 Trail Indication settings
- Auto or Manual Sea/Rain Clutter modes
- Relative Motion/True Motion/North-Up/HeadUp/Course-Up
- Simple operation via touchscreen and single
- Slim, stylish case with vertical display
- 5.35 in (W) X 8.85 in (H) X 3.62 in (D)



MDA-5

Best Seller

\$1875

Metadata AIS | Black Box Modules Plug-and-Play AIS Integration

FEATURES

- Rmax™ technology: All AIS messages are received and decoded in real time
- Transceiver features internal 50-channel GPS
- Transceiver/receiver feature NMEA0183, NMEA2000 and USB connectivity
- Antenna splitter allows full VHF communications and AIS send/receive with single antenna
- Clear Call Routing ensures VHF emergency call priority
- IPx7 Waterproof
- 5.5 in X 3.9 in X 1.9 in





Atlantic Electronics Limited


MOBILE SHOWROOM

Bringing Marine Electronics Straight to Your Wharf

We've packed our showroom and hit the road - bringing the latest marine electronics directly to you. See it. Try it. Ask questions. All on-site.

Inside the AEL Mobile Showroom

- Full product displays and interactive demos
- Latest marine electronics and navigation technology
- Hands-on experience with equipment before you buy
- Expert technicians available to answer your questions



Now Hiring!

***Marine experience? Apply!
No marine experience but
think you have what it takes?
Apply!***

We are that busy that we need great people to help expand our diverse team of techs who cover the largest lobster/marine fishing grounds in Atlantic Canada.

What we want is your eagerness to learn, your drive to succeed and the desire to connect and build relationships with our customers, just like we have been doing since 1973.

We offer a very competitive compensation package including a company car, training, vacation, benefits and retirement... Just to name a few. All we need in return is to be the best you can be. Send cover letter and resume



Atlantic Electronics Limited



SCANMAR

SCANBAS 365 QUICK CONFIGURATION & TOTAL CONTROL

The customizable monitoring system
trusted by skippers worldwide.



DESIGNED FOR SKIPPERS, BUILT FOR CONTROL

-  **Spider Graph** instantly shows parameters outside tolerance – your customizable cruise **control**
-  **Drag & Drop Builder** Modify layouts anytime with simple drag, drop
-  **6 Monitors** Show any sensor data anywhere you want, at any size


-  **Profile Saving** Easily switch between setups for different hauls or users

**THE CONFIGURABLE
FUTURE OF TRAWL
MONITORING**


PROFESSIONAL

VERSION 5


#1 Best Selling Marine Navigation Software!



Smart Radar



Uses vector chart info and AIS/ARPA targets to discriminate radar echos, allowing you to focus on 'unknown objects'.



TZ Training

AEL offers Customized TIMEZERO training. We can come to you or your association, or group, or do one-on-one sessions. Group training requires a minimum of 10 confirmed participants.

Call to discuss


TIMEZERO
www.mytimezero.com

All New AEL Computer

ALL NEW HARDWARE!



NOW WITH

- 16GB of RAM Expandable to 32 GB
- IMB-1230 Mother Board
- i5-12500 Processor
- 12th Gen Intel Chipset
- WiFi
- LTE Capable
- 4 COM Ports
- VGA, HDMI Display Ports

Monitors Designed to fit Every Vessel

Choose Your Fit

- 15 INCH or 21 INCH MONITOR

We stand Behind Our Products

We offer a Limited 1 Year Warranty on our branded monitors and 1 Year on our branded Computers.



Available only from Atlantic Electronics Limited or authorized reseller.

AEL Navigation Light Panel Single \$3025/Dual \$3350



FEATURES

- 24 Volt DC Navigation Light Panel: Complies with TP 127E(58.7) \$2159.07
- All In One Enclosure
- Configured for Light Fixtures 0.1 to 3 amps
- UL489 TC approved Circuit breakers for primary power supply
- ATO/ATC fuses for lamp circuits
- Audible and visual alarm for primary power failure
- Visual indicators for primary lamp failure on circuits 1-5
- Alarm test function and silence button
- Low Current Option: Configuration for light fixtures < 0.1 amps \$156.00
- Remote Interface Option w. 8' harness \$404.40
- Surface Mount Control Panel with back cover
- Electronics and input/output connections mounted in separate enclosure

Our Yarmouth location offers complete marine electrical solutions, including system design, material supply, new installations and vessel refits. Services include electrical diagnostics and troubleshooting, as well as electrical drawings designed to meet applicable Transport Canada requirements.

We also specialize in Maretron vessel monitoring systems, providing system design and integration for reliable, real-time monitoring of critical onboard systems.

Technical Sales



Nolan McIntyre
902-809-0501
Dartmouth

Regional Sales Manager



Ted McCarthy
709-682-4620
tmccarthy@ael.ca

Meet the Team that Keeps You on the Water

TECHNICIANS



Eugene Schnare
902-802-4113
Dartmouth



Zac Semchuk
902-830-4230
Dartmouth



Pearse Henneberry
902-292-6452
Dartmouth



Allan Meggison
902-626-2337
PEI



Jim Wamboldt
902-212-0730
Lunenburg



Boris Spaceti
902-307-1123
Digby



David Sutton
902-307-9247
Yarmouth



Jon Benson
709-727-7807
Newfoundland



Brian Peddigrew
709-725-4729
Newfoundland



Brad Miller
709-685-1243
Newfoundland



Tony Merkle
709-687-7430
Newfoundland



Atlantic Electronics Limited

We work 365 to keep you on the water.

Atlantic Electronics Limited has been in business since 1973. Founder, Robert (Bob) Greek, began in a little shop in Downtown Dartmouth, as a service outlet for local fishermen and other sea goers. Throughout the years, AEL has grown to be a leader in the Maritime Commercial Fishing industry, with expertise spanning inshore and deep-sea operations. AEL has always kept the focus on providing top-notch, 24/365 service. AEL is ready and capable to work for you, given any situation.

Recently, Marine Electrical Design and Installation has been added to the list of services provided, for convenient one-stop sales and repair.

Pricing in effect Until February 28th, 2027, or until supplies last. Prices subject to change without notice.