Lemon Squad Nationwide Used Car Inspection

1989 Dodge Dakota Sport Convertible



Summary

This vehicle shows some wear and tear. The exterior exhibits the expected scratches, marks and wear for the age and mileage. This vehicle has small micro scratches all over the exterior. The vehicle shows minor miscellaneous dings around the body. The vehicle has miscellaneous dents in varying sizes all around the exterior. Top of tailgate dented and passenger door dent. The vehicle repaint shows dust under the paint, some orange peel, and signs of poor prep. Runs on tailgate and driver door. The underside of the vehicle shows signs of major rot. Metal work will be needed to fix these areas. Both fenders have rust at front and rear panels. The drivers side turn signal lens is cracked. The front and rear bumpers show some dents. There are some scratches on the wheels.

The interior shows signs of use to the seating surfaces, carpet and other contact points. The steering wheel shows cracks due to age. The steering wheel shows some wear and tear as seen in pics. The sun visors show wear and tear. Duck tape present on visors. There is light wear to the seats. Normal for mileage. Aftermarket radio has been installed and is in good working condition. The inner door panels show wear consistent with age and mileage. The interior trim shows normal wear consistent with age and mileage. The dash shows cracks due to age and mileage. Duck tape on dash. The heater system has been bypassed so the heater does not produce any heat. This is usually done when there is a leaking heater core. The carpet shows normal wear consistent with age and mileage. The carpet shows moderate wear from use.

Engine had an extended crank time. More diagnosis is necessary. Engine had what felt like a misfire while driving. There are many things that can cause this. It will require further diagnosis and repairs. The engine ran poorly at idle and during road test. The performance of the transmission, steering, braking and suspension systems were good. JB Weld on radiator and painted over. The radiator isn't currently leaking but shows corrosion and wear due to age. This is something that should be addressed immediately. Belt is showing wear and cracking from age. The engine is seeping some oil from the underside. There were no drips at time of inspection. This area should be cleaned off and rechecked to verify source of leak or leaks. The transmission is leaking fluid to a drip from the underside. This area should be cleaned off to determine the source of the leak. Overall, the vehicle ran poorly with multiple issues to consider. Please see below and pics for more details.

Inspection Info

Please take 100+ photos and a walk around video. Note that these photos will be used in an on-line auction so please be sure to include (in addition to the usual inspection photos) photos that show the entire car - ¾ views of the front, rear and side photos along with photos that show the full engine and photos of the interior and underneath. Please be sure to have pleasing back grounds that do not include additional people. For the walk around video, please no talking and take in a landscape view (no portrait) with the engine running. Keep in mind when inspecting and writing up that this vehicle is an antique. Also please reach out to the owner of the vehicle prior to the inspection to confirm date/time/location, etc. Thanks!

Drivetrain	
Transmission	Automatic
Drive Type	Four Wheel
	Drive

1989
Dodge
Dakota Sport
Convertible
1b7gg69x4ks150635
N/A
190250
6 Cylinder
Black
Red
Leather/Cloth
N/A
N/A
Gas

Road Test		
Road Test	Good	
Engine Starting Easily	Issues	
Engine had an extended crank time. More diagnosis is necessary.		
Engine running well after Started	Issues	
Engine had what felt like a misfire while driving. There are many things that can cause this. It will require further diagnosis and repairs. The engine ran poorly at idle and during road test.		
Transmission performance	Good	
Differential Performance	Good	
Transfer Case Performance	Good	
Wheel Bearing Performance	Good	
Braking Performance	Good	
Suspension Performance	Good	
Steering Performance and Alignment	Good	
Alignment		



The vehicle has miscellaneous dents in varying sizes all around the exterior. Top of tailgate dented and passenger door dent.

The interior trim shows normal wear consistent with age and mileage.

Sun Visors



Issues

The sun visors show wear and tear. Duck tape present on visors

Mechanical		
Air Filter	Good	
Battery Condition	Good	
Charging System	Good	
Cooling Fan Condition Mechanical/Electronic	Good	
Hoses and Clamps Age/Cracking	Good	
Radiator Condition	Issues	
JB Weld on radiator and painted isn't currently leaking but and wear due to age. This is soo be addressed immediately.	t shows corrosion	
Engine Coolant Condition	Good	
Belts	Issues	
Belt is showing wear and cracki	ng from age.	
Power Steering System	Good	
Power Steering Fluid Condition	Good	
Engine Oil Condition	Good	
Engine Oil Leaks	Issues	
The engine is seeping some oil There were no drips at time of i should be cleaned off and reche of leak or leaks.	nspection. This area	
Transmission Fluid Condition	Good	
Transmission Fluid Leaks	Issues	
The transmission is leaking fluid underside. This area should be determine the source of the lea	cleaned off to	
Brake System Condition	Good	
Brake Fluid Leaks	Good	
Transfer Case Leaks	Good	
Differential leaks	Good	
Muffler System	Good	
CV Boots and Joints	Good	
Shocks and bushings Condition. Leaking?	Good	

Tire / Wheels		
Manufacturer		
Driver's Front Tire	Michelin	
Passenger's Front Tire	Michelin	
Driver's 1st Axle Outer Tire	Michelin	
Passenger's 1st Axle Outer Tire	Michelin	
Size		
Driver's Front Tire	235/75/15	
Passenger's Front Tire	235/75/15	
Driver's 1st Axle Outer Tire	235/75/15	
Passenger's 1st Axle Outer Tire	235/75/15	
Tire Condition		
Driver's Front Tire	No Issues	
Passenger's Front Tire	No Issues	
Driver's 1st Axle Outer Tire	No Issues	
Passenger's 1st Axle Outer Tire	No Issues	
Wheel Condition		
Driver's Front Tire	Corrosion	
Driver's 1st Axle Outer Tire	Corrosion	
Passenger's Front Tire	Corrosion	
Passenger's 1st Axle Outer Tire	Corrosion	
Tire Tread		
Driver's Front Tire	5/32	
Passenger's Front Tire	5/32	
Driver's 1st Axle Outer Tire	11/32	
Passenger's 1st Axle Outer Tire	11/32	
Spare Tire	No	

· · · · · · · · · · · · · · · ·	
Ball Joints and Tie Rods	Good
Radiator Cap Sealing Properly	Good
Coolant Leaks	Good

Vehicle Images




















Aftermarket rack


































































































































































































































































Entry Method Chip

. n. n. 000011 Appr Code: 08018W

id Autime Ratchus 343061

10:26:01

ghway 86

OUCH

RESENT. POSSIBLE

PERFORM

Invoice #0855133

Customer ID: 1968156686

KELLY, JOHN T.

Cell:(808) 590-3365

Home:(808) 590-3365

P.O. BOX 1100 WAIALUA, HI 96791-

12/9/2021 1989 DODGE DAKOTA

10:56 am V6-239 3.9L

VIN: 1B7GG69X6KS150635

Mileage: 178989

Trans

License: FRS782 S.Ch: 12/22

Your Service Writer Today Is: DAR TANDAL

Center: RETAIL Job Total Labor Parts \$0.00 \$0.00

Category Summary DIAG & INSPECT **EXHAUST** SAFETY CHECK

\$217.99 \$0.00 \$13.95 \$11.05

\$0.00 \$217.99 \$25.00

11.05 11.05 11.05 SAFETY CHECK 2 OPT-CUSTOMER REQUEST/CONVENIENCE

Exhaust System Inspection Muffler: Remove & Replace

0.00 175.00 175.00 0.00

Parts

42.99 42.99

13.95

Labor Job Total

25.00

Payments

445

MASTERCARL

VISA/MASTERCARD, \$288.68, on 12/09/21 CardNo: [*********1595], AuthorizationNo: [.]

Repair Order Notes

Midas International, LLC issues written limited lifetime warranties on certain mufflers, shock absorbers, strut assemblies, strut cartridges, brake shoes and pads.* All other products and services are warranted from defect for ninety (90) days from the date of installation. The complete written limited warranty terms are stated on the Midas Limited Warranty Terms Document issued to you, together with this invoice, upon the purchase of the appropriate warranted product. The terms of all the warranties are also in the Midas Warranty Binder on display in each Midas location. There are no other warranties issued by Midas International, LLC. This warranty gives you specific legal rights. You may also have other rights which vary from State to State/jurisdiction to jurisdiction. Warranty work rights. You may also have other rights which vary from State to State-Jurisdiction to jurisdiction. Warranty work will be performed at any Midas location in the USA or Canada offering the warranted product or service. To locate a Midas location, please call: 1-800-621-8545; visit our website at www.midas.com; or contact Midas International, LLC, Customer Relations, 4300 TBC Way, Palm Beach Gardens, Florida 33410. *This is a summary of the Midas Limited Warranty Terms. For complete warranty terms, including the applicable limitations, exclusions, and restrictions, please consult the Midas Limited Warranty Terms Document issued to you or the Midas Warranty Binder on display in each Midas location. I hereby authorize you and/or your agents to contact me regarding the products and services, including any recall information, provided at Midas.

Date: Customer Signature:

TOTAL PARTS \$11.05 \$231.94 TOTAL LABOR \$0.00 SUBLET \$32.70 SHOP SUPPLY \$275.69 SUBTOTAL OTHER FEES \$0.00 SALES TAX \$12.99 INVOICE TOTAL \$288.68 \$288.68 PAID

DUE

Thank you for your business!

\$0.00

Courtesy Check - Inspect All Items in Top Section

0.00 239.80

114.40

118.80

16.50

609.40

286.00

94.60

48.40

268.40

1796.30

North Shore Auto/Truck Service LLC

Haleiwa, Hawaii 96712 (808) 637-1234

Date:

10/12/2021

Name:

John Kelly

Phone #

590-3365

Vehicle Year: Odometer:

1989 188,524 Make / Model: License Plate **Dodge Dakota** FRS 782

VIN: 1B7GG69X6KS150635

Front Brake Pads and Rotors Front Brake Calipers Front brake hoses Brake fluid Front wheel hubs and bearings Lower ball joints Rear brakes shoes 10 inch Hardware kit Rear brake drums

Total Parts

Service & Time

Replace front brake pads and rotors / Replace calipers both sides / Bleed brake system Replace front wheel hubs and bearings

Replace lower ball joints both sides Replace rear brakes / Bleed system

Lower ball joints \$1145.00 Front brakes \$946.00

Front wheel bearing and hubs \$1092

Paid deposit 400.00 10/12/2021 Rear brakes \$695.00

All jobs separate \$3877.00 / \$3765.00 All jobs Combined \$3192.00 / \$3100.00

3% surcharge paid by Debit / Credit card Surcharge does not apply invoice paid by cash / check

0.00 155.00 0.00 775.00 232.50 0.00 0.00 0.00 0.00 0.00 0.00 1162.50 **Total labor** 2958.80

Sub Total: Cash / CC Split Payment

Bank Card Surcharge

139.42

Amount Due less payments:

3,098.22

3098.22

CUSTOMER'S ACKNOWLEDGMENT

Labor warranty 180 days from invoice date unless otherwise noted in writing on invoice. Labor warranty honored at this location only Parts warranties vary and are honored by parts company. You must contact us first for any warranty issues arising from part failure. Authorizations for us to perform the work identified above has been given by phone call or signature. Additional repair work not specified in the original agreement is approved by telephone before proceeding with work. Shop is not responsible for any personal items left in car

North Shore Auto/Truck Service LLC

Haleiwa, Hawaii 96712 (808) 637-1234

590-3365 Phone # John Kelly Name: 11/3/2021 Date: **Dodge Dakota** Make / Model: 1989 Vehicle Year: VIN: 1B7GG69X6KS150635 FRS 782 License Plate 188,639 Odometer: 396.00 30.80 CV front axle Front Wheel lug nuts (10) 0.00 0.00 0.00 0.00 0.00 0.00 426.80 **Total Parts** Service & Time 372.00 Replace CV front axel both sides -217.00 Labor Discount for previous work done 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 155.00 Total labor 581.80 Sub Total: Cash / CC Split Payment 3% surcharge paid by Debit / Credit card Surcharge does not apply invoice paid by cash / check **Bank Card Surcharge** 27.41

> Amount Due less payments: CUSTOMER'S ACKNOWLEDGMENT

Labor warranty 180 days from invoice date unless otherwise noted in writing on invoice. Labor warranty honored at this location only Parts warranties vary and are honored by parts company. You must contact us first for any warranty issues arising from part failure. Authorizations for us to perform the work identified above has been given by phone call or signature. Additional repair work not specified in the original agreement is approved by telephone before proceeding with work. Shop is not responsible for any personal items left in car

609.21

609.21

Courtesy Check - Inspe	ENG. SIZE OOHC OOHC WARNING LIGHT Auto Manual
58 Make Dalge Model Darota Source	OHV Scratches/Dents
Year T8 Make Dalga Model Darota Sourt	Wheel Components Missing Windshield Cracked State Inspection Due Month Year Year Year
FACE: 1 (A) 1 7 49	Lic.# State Inspection
WILLEAGE.	Tires and Tire Maintenance Speed/ Run Flat Y (N)
Maintenance Services / Starting Wisual Sched, Why Recommended	Tire Size: Load
Inspect OK SUG REQ Meint.	7-01
Wiper Blades	32 ods FWD HWD LAWDING
Head Lights Brake Turn License Parking	Inspect OK SUG REQ Outer Middle Inner
Mini Lights / WWW.	Left Front PSI in: PSI Out: PSI in: PSI Out: Nov-Reportable Nov-Reportable
Air Filter	Date Code:
Cabin Air Filter PCV Valve	Right Front Cuts Coping Repairable
Washer Fluid 2 Tolled OFF	Date Code:
Oil Level B LOW WICL	Right Rear V 17 17 Cupping Relation RepaireDie
Power Str. Fluid Level	PSI In. PSI Out: Non-Repairable Non-Repairable
Master Cyl. Fluid Brake Inspection	Left Boar Cupping Nels
Brake Fluid Exchange Copper parts per manon	PSI fn: PSI Out: Cuts Reparable Reparable Non-Reparable
Trans. Service Auto / Manual Coclorer C	☐ Edgewear ☐ Cracking
Level / Exchange	PSI In: PSI Out: Granularity Non-Repairable
Coolant Hoses Palts Reits	Date Code. Balance
Battery Good Good Retest Soon Replace	Tire Maintenance
ED-18 Test Battery Cable Ends / Cables Reg Hold Downs	Alignment Check Complete Vehicle Why:
Accessories Battery Guard Corrosion Preventive	Inspection
2 Into Vahiala Inspection - In A	ddition to The Above Inspect All Items Below
Complete Vehicle Inspection	Brakes ABS ■ YES ■ NO
Maintenance Services / Starting	DOCUMENT OF SPECIFICATIONS & VEHICLE'S ACTUAL MEASUREMENTS BELOW
Inspect Visual Sched. Why Recommended W	Braking components are above minimum OE specifications
Start / Charge	Braking components are worn close to minimum OE specifications
Belt Tensioner	Braking components are worn to, or below, minimum OE specifications
Spark Plugs	LF Pad LF Rotor / RF Rotor
Fuel Filter Fuel System Service	Actual Actual Meas. Actual Meas. Actual Meas. Actual Meas. Actual Meas. Actual Meas.
Ignition Wires	Machine Machine To Machine To
Valve Cover Gasket Power Steering Pressure Return	Discard Discard At MM Spec
Power Steering Hose	MM Spot Drum LR Rotor / Drum RR Rotor RR Pad / Shot LR Pad / Shot Drum LR Rotor RR Pad / Shot RR P
Timing Belt Transfer Case Front Diff Rear Front Diff Rear	Diff Actual Meas.
Fund Exchange Exhaust	MM Achael Machine Machine MM Achael Machine
Fahard Surjett	Decard
Steering and Suspension	MM Spec.
U-Joint	Rear Clean / Adj
Idler Pitman Arm Idler Pitman	Brake Hose(s)
Control light	Parking Cables Wheel Repack
Bushings Control Arm Sway Bar Rear	Other Brake Hardware Caliper Wheel Repack Services
Link Pins Front Left Right	Notes:
Tie Rod Ends	ve(s)
Ball Joints L Upper R Upper R Lower Spec Actual	
Rack & Pinion	
Assembly Front Left Right	
Front Left Right	
Front Left Right Mounts	
Front Left Right	
	111
Snocks Repair / Replacement Required Repair / Replacement Required	
A) No longer performs intended purpos	STEP 7
Repair / Replacement Suggested	9/

Retail Invoice 281860 Printed on 10/30/2021



Store# 023264 In: 10/30/21 06:59AM Out: 10/30/21 08:57AM

www.FirestoneCompleteAutoCare.com

Cust Status: Waiting

Appt: Yes

FINAL INVOICE

SCHOFIELD - ROAD A BLDG 80, SCHOFIELD BARRACKS, HI. 96857-5099 - 808.624.0204

Service Advisor: 8 CHAD

Customer Details: KELLY, JOHN PO BOX 1100

WAIALUA, HI 96791-1100 808.590.3365 Wheel Lock:

Alt. Auth. Name & Phone:

N/A

Technician 31ISAAC

Vehicle Details:

1989 DODGE DAKOTA SPORT

3.9L V6 FI GAS VIN X OHV VIN #: 1B7GG69X4KS150635

LIC #: FRS782 HI [BLACK] MILEAGE: 188,545

Description	Rev Hist /Article#	ID	Qty	Unit Price	Extended Price	Job Total
COURTESY CHECK COURTESY CHECK ALIGNMENT SERVICE (LIFETIME WARRANTY)		08 31TS 08	1	N/C	N/C	179.99
LIFETIME WHEEL ALIGNMENT LBR-DISC 10% Off Service Military Discount	,000220	31TS 31T	1 -1	199.99 20.00	199.99 -20.00	

All parts are new unless otherwise specified.

Payment History:
MasterCard 1595
MID: 222220327462
Term: 0001 Card Inserted
AID:A0000000041010
Total Tendered

201.66 09233W Sale

PIN NOT VERIFIED

201.66

 Summary:

 Parts
 0.00

 Labor
 179.99

 Shop Supplies
 12.60

 Sub-Total
 192.59

 Tax (4.712%)
 9.07

 Total
 \$201.66



I have received the above goods and/or services. If this is a credit card purchase, I agree to pay and comply with my cardholder agreement with the issuer.

Customer Signature



HOW ARE WE DOING?

Tell us about your experience today!

Complete a 4-minute survey for a chance to win one of ten \$50 gift cards each month!

Visit www.FirestoneSurvey.com within 4 days and enter Code 023264-281860

FIRESTONE #023264

SCHOFIELD BARRACKS BLDG 80 MILLILANI, HI 96789 808-624-0204

Dodge / Ram / SRT : Dakota : 1987-96 : 4X4 ExpressAlign Total Alignment

Front: Left

Actual	Before	Specified Range
0.6°	0.00*	0.0° 1.0°
0.8°	1.3°	0.5° 2.5°
0.09°	-0.36°*	0.08° 0.18°
12.3°	10.3°	
12.9°	10.3°	

Camber
Caster
Toe
SAI
Included Angle
Turning Angle Diff.

Actual	Before	Specified Range
0.6°	-0.3°*	0.0° 1.0°
1.7°	1.5°	0.5° 2.5°
0.09°	0.92°*	0.08° 0.18°
13.0°	10.4°	
13.6°	10.1°	

Front

Cross Camber Cross Caster Cross SAI Total Toe Cross Turn Diff.

Actual	Before	Specified Range
0.0°	0.3°	
-0.9°	-0.2°	-1.3° 1.3°
-0.6°	-0.1°	
0.18°	0.56°*	0.15° 0.35°

Rear: Left

Actual	Before	Specified Range
-0.3°	-0.3°	
-0.13°	-0.09°	

Camber Toe

Rear : Right			
Actual	Before	Specified Range	
-0.3°	-0.3°		
-0 41°	-0.47°		

Rear

Cross Camber Total Toe Thrust Angle

Actual	Before	Specified Range		
0.0°	-0.1°			
-0.54°	-0.56°			
0.14°	0.19°			